Thread Adapters
Thread Size Conversion Adapters



These thread adapters convert between different thread sizes and standards,
allowing various equipment and accessories to be securely mounted.
Suitable for connecting cameras, tripods, mounting brackets, and various mounting bases.
They allow you to make use of existing equipment and mounting components
while providing greater flexibility in installation.

Metric Thread (Female) → 1/4"-20 UNC Thread (Male)



Product Page ▶

Outer Diameter: Diameter of the Main Body

Overall Height: 13 mm (Body Height) + 7 mm (Protruding Male Thread Length) = 20 mm

Name	Part Number	Female Thread	Male Thread	Diameter	Height	Material
A29	CA-F01-14S-M4H	M4	1/4-20	Φ16 mm	20 mm	Aluminum
A30	CA-F02-14S-M5H	M5	1/4-20	Φ16 mm	20 mm	Aluminum
A31	CA-F03-14S-M6H	M6	1/4-20	Φ16 mm	20 mm	Aluminum
A32	CA-F04-14S-M8H	M8	1/4-20	Φ16 mm	20 mm	Aluminum
A33	CA-F05-14S-M10H	M10	1/4-20	Φ16 mm	20 mm	Aluminum

Metric Thread (Female) → 3/8"-16 UNC Thread (Male)



Product Page ▶

Outer Diameter: Body Diameter

Overall Height: 13 mm (Body) + 7 mm (Male Thread) = 20 mm

Name	Part Number	Female Thread	Male Thread	Diameter	Height	Material
A15	CA-C01-38S-M6H	M6	3/8-16	Φ16 mm	20 mm	Aluminum
A16	CA-C02-38S-M8H	M8	3/8-16	Φ16 mm	20 mm	Aluminum
A17	CA-C03-38S-M10H	M10	3/8-16	Φ16 mm	20 mm	Aluminum

Custom Solutions & Volume Quotations for Businesses.

From prototyping and evaluation to mass production and final delivery.
We offer tailored solutions based on your application, specifications, and order quantity.

Web

Entaniya

Entaniya Co., Ltd.
products@entaniya.co.jp

3/8"-16 UNC Thread (Female) → Metric Thread (Male)



Product Page ▶

Outer Diameter: Body Diameter

Overall Height: 13 mm (Body) + 7 mm (Male Thread) = 20 mm

Name	Part Number	Female Thread	Male Thread	Diameter	Height	Material
A11	CA-B01-38H-M6S	3/8-16	M6	Φ16 mm	20 mm	Aluminum
A12	CA-B02-38H-M8S	3/8-16	M8	Φ16 mm	20 mm	Aluminum
A13	CA-B03-38H-M10S	3/8-16	M10	Φ16 mm	20 mm	Aluminum
A14	CA-B04-38H-M12S	3/8-16	M12	Φ16 mm	20 mm	Aluminum

1/4"-20 UNC Thread (Female) → Metric Thread (Male)



Product Page ▶

Outer Diameter: Body Diameter

Overall Height: 13 mm (Body) + 7 mm (Male Thread) = 20 mm

Name	Part Number	Female Thread	Male Thread	Diameter	Height	Material
A18	CA-D01-14H-M4S	1/4-20	M4	Φ16 mm	20 mm	Aluminum
A19	CA-D02-14H-M5S	1/4-20	M5	Φ16 mm	20 mm	Aluminum
A20	CA-D03-14H-M6S	1/4-20	M6	Φ16 mm	20 mm	Aluminum
A21	CA-D04-14H-M8S	1/4-20	M8	Φ16 mm	20 mm	Aluminum
A22	CA-D05-14H-M10S	1/4-20	M10	Φ16 mm	20 mm	Aluminum
A23	CA-D06-14H-M12S	1/4-20	M12	Φ16 mm	20 mm	Aluminum



Product Page ▶

Outer Diameter: Width Across Flats

Overall Height: 12 mm (Body) + 8 mm (Male Thread) = 20 mm

Name	Part Number	Female Thread	Male Thread	Diameter	Height	Material
E13	CA-J01-14H-M6S	1/4-20	M6	10mm	20 mm	Stainless Steel
E15	CA-J02-14H-M4S	1/4-20	M4	10mm	20 mm	Stainless Steel

Custom Solutions & Volume Quotations for Businesses.

From prototyping and evaluation to mass production and final delivery.
We offer tailored solutions based on your application, specifications, and order quantity.

Web

Entaniya

Entaniya Co., Ltd.
products@entaniya.co.jp

1/4"-20 UNC Thread (Male) – Metric Thread (Male)



Product Page ▶

Outer Diameter: Body Diameter

Overall Height: 4 mm (Body) + 7 mm × 2 (Male Threads) = 18 mm

Name	Part Number	Female Thread	Male Thread	Diameter	Height	Material
A24	CA-E01-14S-M4S	1/4-20	M4	Φ16 mm	20 mm	Aluminum
A25	CA-E02-14S-M5S	1/4-20	M5	Φ16 mm	20 mm	Aluminum
A26	CA-E03-14S-M6S	1/4-20	M6	Φ16 mm	20 mm	Aluminum
A27	CA-E04-14S-M8S	1/4-20	M8	Φ16 mm	20 mm	Aluminum
A28	CA-E05-14S-M10S	1/4-20	M10	Φ16 mm	20 mm	Aluminum

1/4"-20 UNC Thread (Female) – Metric Thread (Female)



Product Page ▶

Outer Diameter: Body Diameter

Name	Part Number	Female Thread	Male Thread	Diameter	Height	Material
A34	CA-G01-14H-M4H	1/4-20	M4	Φ16 mm	20 mm	Aluminum
A35	CA-G02-14H-M5H	1/4-20	M5	Φ16 mm	20 mm	Aluminum
A36	CA-G03-14H-M6H	1/4-20	M6	Φ16 mm	20 mm	Aluminum
A37	CA-G04-14H-M8H	1/4-20	M8	Φ16 mm	20 mm	Aluminum
A38	CA-G05-14H-M10H	1/4-20	M10	Φ16 mm	20 mm	Aluminum

Custom Solutions & Volume Quotations for Businesses.

From prototyping and evaluation to mass production and final delivery.
We offer tailored solutions based on your application, specifications, and order quantity.

Web

Entaniya

Entaniya Co., Ltd.
products@entaniya.co.jp

3/8"-16 UNC Thread (Female) → 1/4"-20 UNC Thread (Male)



Product Page ▶

Outer Diameter: Body Diameter

Overall Height: 17 mm (Body) + 7 mm (Male Thread) = 24 mm

Name	Part Number	Female Thread	Male Thread	Diameter	Height	Material
A47	CA-H02-14S-38H	3/8-16	1/4-20	Φ15 mm	24 mm	Stainless Steel

1/4"-20 UNC Thread (Female) → 3/8"-16 UNC Thread (Male)



Product Page ▶

Outer Diameter: Body Diameter

Overall Height: 13 mm (Body) + 7 mm (Male Thread) = 20 mm

Name	Part Number	Female Thread	Male Thread	Diameter	Height	Material
A48	CA-H01-38S-14H	1/4-20	3/8-16	Φ15 mm	20 mm	Stainless Steel

Imperial Thread (Female) → Imperial Thread (Male)



Product Page ▶

Outer Diameter: Width Across Flats

Overall Height: 5 mm (Body) + 7 mm × 2 (Male Threads) = 19 mm

Name	Part Number	Female Thread	Male Thread	Diameter	Height	Material
E21	CA-K01-14S-14S	1/4-20	1/4-20	Φ13 mm	19 mm	Stainless Steel
E22	CA-K02-38S-38S	3/8-16	3/8-16	Φ13 mm	19 mm	Stainless Steel
E23	CA-K03-14S-38S	3/8-16	1/4-20	Φ13 mm	19 mm	Stainless Steel



Product Page ▶

Outer Diameter: Body Diameter

Body Hole Diameter: Φ3.5 mm

Overall Height: 6 mm (Body) + 6 mm × 2 (Male Threads) = 18 mm

Name	Part Number	Female Thread	Male Thread	Diameter	Height	Material
A56	CA-I01-14S-14S	1/4-20	1/4-20	Φ16 mm	18 mm	Stainless Steel
A57	CA-I02-14S-38S	3/8-16	3/8-16	Φ16 mm	18 mm	Stainless Steel
A58	CA-I03-38S-38S	3/8-16	1/4-20	Φ16 mm	18 mm	Stainless Steel

Custom Solutions & Volume Quotations for Businesses.

From prototyping and evaluation to mass production and final delivery.
We offer tailored solutions based on your application, specifications, and order quantity.

Web

Entaniya

Entaniya Co., Ltd.
products@entaniya.co.jp

Imperial Thread (Female) → Imperial Thread (Female)



Product Page ▶

Outer Diameter: Body Diameter

Name	Part Number	Female Thread	Male Thread	Diameter	Height	Material
A8	CA-A01-14H-38H	1/4-20	3/8-16	Φ16 mm	18 mm	Aluminum
A9	CA-A02-38H-38H	3/8-16	3/8-16	Φ16 mm	18 mm	Aluminum
A10	CA-A03-14H-14H	1/4-20	1/4-20	Φ16 mm	18 mm	Aluminum

Custom Solutions & Volume Quotations for Businesses.

From prototyping and evaluation to mass production and final delivery.
We offer tailored solutions based on your application, specifications, and order quantity.

Web

Entaniya

Entaniya Co., Ltd.
products@entaniya.co.jp